



ناشونال لابوراتوري اند ريسيرش سنتر م.م.ح

National Laboratory & Research Center

Head Office: P.O Box 5013, Fujairah Free Zone II – Fujairah - UAE
Dubai Office: M 08-40 Crystal Tower, Business Bay Dubai – UAE
☎ +971 9 2243774 📠 +971 9 2232755 ✉ info@nlrc-ac.com 🌐 www.nlrc-ac.com



TEST REPORT

Report Number: NLRC/26-R3411-02/C

Date of Issue: August 31, 2026

Company Name: NOZONO s.r.o.

Address: Butovicka 921, Studenka, 742 13, Czech Republic

SAMPLE DETAIL				PHOTO	
Sample Material:	SUPPLEMENTS	Sampling Date & Time	13/08/2026		
Sample Description:	MITOGENIX (ENERGY + METABOLISM)	Sampled by:	Client Representative		
Brand Name:	NOZONO	Sampling Container:	Glass Jar		
Batch No.:	2026001	Reference:	Sample Request Form		
Sample ID/Barcode:	8594232890031	Date Received:	13/08/2026		
Production Date:	15/06/2026	Lab. Request No.:	NLRC/26/08/JO-3411		
Expiry Date:	12/2027	Sample No.:	S3411-02		
Sampling Location:	N/A	Date of Test:	15/08/2026		
Sampling Source:	N/A	End of Test:	31/08/2026		
PARAMETERS	RESULTS	UNIT	LOQ	UM	TEST METHOD
Pesticides	ND	mg/kg	0.01	NA	NLRC-SOP-PRL-014

Remark(s)/if any:

- List of Pesticide Residue Parameters scanned by GC MS/MS are mentioned in page no. 2-3.
- List of Pesticide Residue Parameters scanned by LC MS/MS are mentioned in page no. 4-5

B. Singh





ناشونال لابوراتوري اند ريسيرش سنتر م.م.ح National Laboratory & Research Center

Head Office: P.O Box 5013, Fujairah Free Zone II – Fujairah - UAE

Dubai Office: M 08-40 Crystal Tower, Business Bay Dubai – UAE

☎ +971 9 2243774 📠 +971 9 2232755 ✉ info@nlrc-ae.com 🌐 www.nlrc-ae.com



TEST REPORT

Report Number: NLRC/26-R3411-02/C

Sample No.: S3411-02

Date of Issue: August 31, 2026

No.	PESTICIDE RESIDUE PARAMETERS BY GC MS/MS	LOQ (mg/kg)	No.	PESTICIDE RESIDUE PARAMETERS BY GC MS/MS	LOQ (mg/kg)
1	Allidochlor	0.01	60	Tolclofos-methyl	0.01
2	Diclobenil	0.01	61	Transfluthrin	0.01
3	Biphenyl	0.01	62	Heptachlor	0.01
4	Mevinphos	0.01	63	Alachlor	0.01
5	Dichloroaniline, 3,4'-	0.01	64	Propisochlor	0.01
6	Etridazole	0.01	65	Metalaxyl	0.01
7	Pebulate	0.01	66	Fenchlorphos	0.01
8	N-(2,4-Dimethylphenyl)formamide	0.01	67	Fenitrothion	0.01
9	Tetrahydrophthalimide	0.01	68	Pirimiphos-methyl	0.01
10	Methacrifos	0.01	69	Prodiamine	0.01
11	Chloroneb	0.01	70	Linuron	0.01
12	2-Phenylphenol	0.01	71	Pentachlorothioanisole	0.01
13	Pentachlorobenzene	0.01	72	Dichlofluanid	0.01
14	Tecnazene	0.01	73	Malathion	0.01
15	Propachlor	0.01	74	Anthraquinone	0.01
16	Diphenylamine	0.01	75	Aldrin	0.01
17	Tetrachloroaniline, 2,3,5,6-	0.01	76	Metolachlor	0.01
18	Cycloate	0.01	77	Fenthion	0.01
19	Chlorpropham	0.01	78	Chlorpyrifos	0.01
20	Ethalfuralin	0.01	79	Parathion	0.01
21	Trifluralin	0.01	80	Dichlorobenzophenone, 4,4'-	0.01
22	Benfluralin	0.01	81	Triadimefon	0.01
23	Sulfotep	0.01	82	Chlorthal-dimethyl	0.01
24	Phorate	0.01	83	Fenson	0.01
25	Diallate 1	0.01	84	MGK 264 1	0.01
26	BHC, alpha-	0.01	85	Bromophos-methyl	0.01
27	Diallate 2	0.01	86	Diphenamid	0.01
28	Hexachlorobenzene	0.01	87	Pirimiphos-ethyl	0.01
29	Dicloran	0.01	88	Isodrin	0.01
30	Pentachloroanisole	0.01	89	Cyprodinil	0.01
31	Atrazine	0.01	90	Isopropalin	0.01
32	BHC, beta-	0.01	91	MGK 264 2	0.01
33	Clomazone	0.01	92	Chlorfenvinphos 1	0.01
34	BHC, gamma-	0.01	93	Metazachlor	0.01
35	Terbutylazine	0.01	94	Pendimethalin	0.01
36	Quintozone	0.01	95	Heptachlor epoxide	0.01
37	Terbufos	0.01	96	Penconazole	0.01
38	Pentachlorobenzonitrile	0.01	97	Chlzolinate	0.01
39	Fonofos	0.01	98	Tolylfluanid	0.01
40	Propyzamide	0.01	99	Bromfenvinphos-methyl	0.01
41	Profluralin	0.01	100	Captan	0.01
42	Pyrimethanil	0.01	101	Chlorfenvinphos 2	0.01
43	Diazinon	0.01	102	Bioallethrin	0.01
44	Disulfoton	0.01	103	Fipronil	0.01
45	Fluchloralin	0.01	104	Quinalphos	0.01
46	BHC, delta-	0.01	105	Triadimenol	0.01
47	Terbacil	0.01	106	Folpet	0.01
48	Chlorothalonil	0.01	107	Procymidone	0.01
49	Tefluthrin	0.01	108	Chlorbenside	0.01
50	Isazophos	0.01	109	Triflumizole	0.01
51	Triallate	0.01	110	Chlordane, trans-	0.01
52	Endosulfan ether	0.01	111	Bromophos-ethyl	0.01
53	Pentachloroaniline	0.01	112	DDE, o,p'-	0.01
54	Propanil	0.01	113	Paclobutrazol	0.01
55	Dimethachlor	0.01	114	Tetrachlorvinphos	0.01
56	Acetochlor	0.01	115	Endosulfan	0.01
57	Methyl parathion	0.01	116	Chlordane, cis-	0.01
58	Vinclozolin	0.01	117	Flutriafol	0.01
59	Chlorpyrifos-methyl	0.01	118	Nonachlor, trans-	0.01



B. Al-Sayid

This report pertains to the sample received & the stated conditions of testing and valid only with authentic stamp & signature. This report shall not be reproduced except in full with written approval of National Laboratory & Research Center. Do not accept this report if there is any correction or cancellation made manually.



ناشونال لابوراتوري اند ريسيرش سنتر م.م.ح National Laboratory & Research Center

Head Office: P.O Box 5013, Fujairah Free Zone II - Fujairah - UAE

Dubai Office: M 08-40 Crystal Tower, Business Bay Dubai - UAE

☎ +971 9 2243774 📠 +971 9 2232755 ✉ info@nlrc-ac.com 🌐 www.nlrc-ac.com



TEST REPORT

Report Number: NLRC/26-R3411-02/C

Sample No.: S3411-02

Date of Issue: August 31, 2026

No.	PESTICIDE RESIDUE PARAMETERS BY GC MS/MS	LOQ (mg/kg)	No.	PESTICIDE RESIDUE PARAMETERS BY GC MS/MS	LOQ (mg/kg)
119	Chlorfenson	0.01	167	Captafol	0.01
120	Fenamiphos	0.01	168	Piperonyl butoxide	0.01
121	Bromfenvinphos	0.01	169	Resmethrin 2++	0.01
122	Flutolanil	0.01	170	Nitralin	0.01
123	Iodofenfos	0.01	171	Iprodione	0.01
124	Prothiofos	0.01	172	Endrin ketone	0.01
125	Tricyclazole	0.01	173	Pyridaphenthion	0.01
126	Profenofos	0.01	174	Tetramethrin 1	0.01
127	Fludioxonil	0.01	175	Phosmet	0.01
128	Pretilachlor	0.01	176	Bromopropylate	0.01
129	DDE, p,p'-	0.01	177	EPN	0.01
130	Dieldrin	0.01	178	Tetramethrin 2	0.01
131	Oxadiazon	0.01	179	Bifenthrin	0.01
132	Myclobutanil	0.01	180	Methoxychlor	0.01
133	DDD, o,p'-	0.01	181	Fenpropathrin	0.01
134	Oxyfluorfen	0.01	182	Tebufenpyrad	0.01
135	Flusilazole	0.01	183	Phenothrin 1	0.01
136	Bupirimate	0.01	184	Tetradifon	0.01
137	Nitrofen	0.01	185	Phenothrin 2	0.01
138	Fluazifop-P-butyl	0.01	186	Phosalone	0.01
139	Endrin	0.01	187	Azinphos-methyl	0.01
140	Ethylan	0.01	188	Leptophos	0.01
141	Chlorfenapyr	0.01	189	Pyriproxyfen	0.01
142	Chlorthiophos 1	0.01	190	Mirex	0.01
143	Chlorobenzilate	0.01	191	Cyhalothrin, lambda-	0.01
144	Endosulfan II	0.01	192	Fenarimol	0.01
145	Chlorthiophos 2	0.01	193	Acrinathrin	0.01
146	DDD, p,p'-	0.01	194	Pyrazophos	0.01
147	DDT, o,p'-	0.01	195	Azinphos-ethyl	0.01
148	Ethion	0.01	196	Pyraclafos	0.01
149	Nonachlor, cis-	0.01	197	Permethrin, cis	0.01
150	Chlorthiophos 3	0.01	198	Permethrin, trans-	0.01
151	Endrin aldehyde	0.01	199	Pyridaben	0.01
152	Sulprofos	0.01	200	Coumaphos	0.01
153	Triazophos	0.01	201	Fluquinconazole	0.01
154	Carbophenothion	0.01	202	Prochloraz	0.01
155	4,4'-Methoxychlor olefin	0.01	203	Cyfluthrin 1	0.01
156	Carfentrazone ethyl	0.01	204	Cypermethrin 1	0.01
157	Edifenphos	0.01	205	Flucythrinate 1	0.01
158	Norflurazon	0.01	206	Etofenprox	0.01
159	Lenacil	0.01	207	Acequinocyl	0.01
160	Endosulfan sulfate	0.01	208	Flucythrinate 2	0.01
161	DDT, p,p'-	0.01	209	Fluridone	0.01
162	Hexazinone	0.01	210	Fenvalerate 1	0.01
163	2,4'-Methoxychlor	0.01	211	tau-Fluvalinate 1	0.01
164	Tebuconazole	0.01	212	Fenvalerate 2	0.01
165	Propargite	0.01	213	tau-Fluvalinate 2	0.01
166	Resmethrin 1	0.01	214	Deltamethrin	0.01



B. Al-Sayid

This report pertains to the sample received & the stated conditions of testing and valid only with authentic stamp & signature. This report shall not be reproduced except in full with written approval of National Laboratory & Research Center. Do not accept this report if there is any correction or cancellation made manually.



ناشونال لابوراتوري اند ريسيرش سنتر م.م.ح National Laboratory & Research Center

Head Office: P.O Box 5013, Fujairah Free Zone II – Fujairah - UAE

Dubai Office: M 08-40 Crystal Tower, Business Bay Dubai – UAE

☎ +971 9 2243774 📠 +971 9 2232755 ✉ info@nlrc-ae.com 🌐 www.nlrc-ae.com




TEST REPORT

Report Number: NLRC/26-R3411-02/C

Sample No.: S3411-02

Date of Issue: August 31, 2026

No.	PESTICIDE RESIDUE PARAMETERS BY LC MS/MS	LOQ (mg/kg)	No.	PESTICIDE RESIDUE PARAMETERS BY LC MS/MS	LOQ (mg/kg)
1	Cyromazine	0.01	57	Carbaryl	0.01
2	Methamidophos	0.01	58	Carboxin	0.01
3	Formetanate	0.01	59	Monolinuron	0.01
4	Carbofuran	0.01	60	Fluometuron	0.01
5	Methabenzthiazuron	0.01	61	Diuron	0.01
6	Acephate	0.01	62	Ethiofencarb	0.01
7	Pymetrozine	0.01	63	Ametryn	0.01
8	Aminocarb	0.01	64	Chlorotoluron	0.01
9	Propamocarb	0.01	65	Metobromuron	0.01
10	Omethoate	0.01	66	Propham	0.01
11	Dinotefuran	0.01	67	Flutriafol	0.01
12	Aldicarb sulfoxide	0.01	68	Methoprotlyne	0.01
13	Butoxycarboxim	0.01	69	Forchlorfenuron	0.01
14	Nitenpyram	0.01	70	Isoprocarb	0.01
15	Aldicarb sulfone	0.01	71	Fenpropimorph	0.01
16	Carbendazim	0.01	72	Isocarbophos	0.01
17	Oxamyl	0.01	73	Isoproturon	0.01
18	Flonicamid	0.01	74	Desmedipham	0.01
19	Methomyl	0.01	75	Phenmedipham	0.01
20	Thiabendazole	0.01	76	Spiroxamine	0.01
21	Thiamethoxam	0.01	77	Pyrimethanil	0.01
22	Fuberidazole	0.01	78	Metalaxyl	0.01
23	Monocrotophos	0.01	79	Chlorantraniliprole	0.01
24	Mexacarbate	0.01	80	Cycluron	0.01
25	Dioxacarb	0.01	81	Prometryn	0.01
26	Dicrotophos	0.01	82	Linuron	0.01
27	Imidacloprid	0.01	83	Thiofanox	0.01
28	Clothianidin	0.01	84	Fenobucarb	0.01
29	Fenuron	0.01	85	Azoxystrobin	0.01
30	Trichlorfon	0.01	86	Diethofencarb	0.01
31	Dimethoate	0.01	87	Ethofumesate	0.01
32	3-Hydroxycarbofuran	0.01	88	Ethiprole	0.01
33	Vamidothion	0.01	89	Fludioxonil	0.01
34	Mevinphos	0.01	90	Methiocarb	0.01
35	Acetamiprid	0.01	91	Siduron	0.01
36	Propoxur	0.01	92	Halofenozide	0.01
37	Ethirimol	0.01	93	Fenamidone	0.01
38	Cymoxanil	0.01	94	Furalaxyl	0.01
39	Thiacloprid	0.01	95	Acibenzolar-S-methyl	0.01
40	Pirimicarb	0.01	96	Nuarimol	0.01
41	Aldicarb	0.01	97	Dimethomorph	0.01
42	Tricyclazole	0.01	98	Boscalid	0.01
43	Oxadixyl	0.01	99	Mandipropamid	0.01
44	Carbetamide	0.01	100	Flutolanil	0.01
45	Simetryn	0.01	101	Promecarb	0.01
46	Thiophanate-methyl	0.01	102	Paclobutrazol	0.01
47	Thidiazuron	0.01	103	Triadimenol	0.01
48	Bendiocarb	0.01	104	Mepronil	0.01
49	Imazalil	0.01	105	Cyproconazole	0.01
50	Prometon	0.01	106	Myclobutanil	0.01
51	Metribuzin	0.01	107	Chloroxuron	0.01
52	Secbumeton	0.01	108	Bupirimate	0.01
53	Terbumeton	0.01	109	Methoxyfenozide	0.01
54	Sulfentrazone	0.01	110	Triadimefon	0.01
55	Pyracarbolid	0.01	111	Bifenazate	0.01
56	Tebuthiuron	0.01	112	Cyprodinil	0.01



[Signature]

This report pertains to the sample received & the stated conditions of testing and valid only with authentic stamp & signature. This report shall not be reproduced except in full with written approval of National Laboratory & Research Center. Do not accept this report if there is any correction or cancellation made manually.



ناشونال لابوراتوري اند ريسيرش سنتر م.م.ح National Laboratory & Research Center

Head Office: P.O Box 5013, Fujairah Free Zone II – Fujairah - UAE

Dubai Office: M 08-40 Crystal Tower, Business Bay Dubai – UAE

☎ +971 9 2243774 📠 +971 9 2232755 ✉ info@nlrc-ae.com 🌐 www.nlrc-ae.com



TEST REPORT

Report Number: NLRC/26-R3411-02/C

Sample No.: S3411-02

Date of Issue: August 31, 2026

No.	PESTICIDE RESIDUE PARAMETERS BY LC MS/MS	LOQ (mg/kg)	No.	PESTICIDE RESIDUE PARAMETERS BY LC MS/MS	LOQ (mg/kg)
113	Mefenacet	0.01	158	Clofentezine	0.01
114	Mepanipyrim	0.01	159	Bitertanol	0.01
115	Fluquinconazole	0.01	160	Spinosad D	0.01
116	Fenhexamid	0.01	161	Benzoximate	0.01
117	Fluoxastrobin	0.01	162	Diniconazole	0.01
118	Tetraconazole	0.01	163	Thiobencarb	0.01
119	Bromuconazole isomer 1	0.01	164	Pencycuron	0.01
120	Butafenacil	0.01	165	Spinetoram	0.01
121	Iprovalicarb	0.01	166	Hexaflumuron	0.01
122	Flufenacet	0.01	167	Triflumizole	0.01
123	Triticonazole	0.01	168	Indoxacarb	0.01
124	Cyazofamid	0.01	169	Difenoconazole	0.01
125	Diiflubenzuron	0.01	170	Ipconazole	0.01
126	Spirotetramat	0.01	171	Trifloxystrobin	0.01
127	Fenarimol	0.01	172	Novaluron	0.01
128	Fenbuconazole	0.01	173	Emamectin-benzoate B1b	0.01
129	Epoxiconazole	0.01	174	Clethodim	0.01
130	Etaconazole	0.01	175	Teflubenzuron	0.01
131	Fipronil	0.01	176	Alanycarb	0.01
132	Neburon	0.01	177	Buprofezin	0.01
133	Flusilazole	0.01	178	Emamectin-benzoate B1a	0.01
134	Fenoxycarb	0.01	179	Benfuracarb	0.01
135	Picoxystrobin	0.01	180	Fluazinam	0.01
136	Rotenone	0.01	181	Metaflumizone	0.01
137	Tebufozide	0.01	182	Furathiocarb	0.01
138	Dimoxystrobin	0.01	183	Temphos	0.01
139	Bromuconazole isomer 2	0.01	184	Lufenuron	0.01
140	Flubendiamide	0.01	185	Tebufenpyrad	0.01
141	Diclobutrazol	0.01	186	Pyriproxyfen	0.01
142	Carfentrazone ethyl	0.01	187	Piperonyl butoxide	0.01
143	Kresoxim-methyl	0.01	188	Hexythiazox	0.01
144	Tebuconazole	0.01	189	Quinoxifen	0.01
145	Spinosad A	0.01	190	Flufenoxuron	0.01
146	Penconazole	0.01	191	Propargite	0.01
147	Prothioconazole	0.01	192	Etoazole	0.01
148	Zoxamide	0.01	193	Spiromesifen	0.01
149	Famoxadone	0.01	194	Chlorfluazuron	0.01
150	Hydramethylnon	0.01	195	Spirodiclofen	0.01
151	Triflumuron	0.01	196	Fenpyroximate	0.01
152	Prochloraz	0.01	197	Pyridaben	0.01
153	Hexaconazole	0.01	198	Eprinomectin	0.01
154	Benalaxyl	0.01	199	Abamectin B1a	0.01
155	Metconazole	0.01	200	Fenazaquin	0.01
156	Propiconazole	0.01	201	Doramectin	0.01
157	Pyraclostrobin	0.01	202	Ivermectin	0.01

Remark(s)/if any:

Test method Variation: None

Key Words: No symbol: Accredited, (*) Symbol: Not Accredited, (**) Symbol: Subcontracted Laboratory, (***) Symbol: Subcontracted External Lab. comply with ISO 17025
LOQ – Limit of Quantitation, UM – Uncertainty of Measurement, N/A – Not Applicable, ND – Not Detected.

Note(s):

1. National Laboratory & Research Centre accredited by IAS (International Accreditation Service) in accordance with the recognized International Standard ISO/IEC 17025:2017
2. IAS is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing reports.
3. NLRC will follow the ILAC G8:2009 Decision Rule, with a Guard Band width of 1 U for the decision of Compliance (if any).
4. The test results in this report relates only to the sample tested. This test report shall not be reproduced except in full, without the written approval of NLRC.
5. Measurement uncertainty provided is based on expanded uncertainty using coverage factor of 2, at 95% confidence level.

~END OF REPORT~

Laboratory Supervisor



This report pertains to the sample received & the stated conditions of testing and valid only with authentic stamp & signature. This report shall not be reproduced except in full with written approval of National Laboratory & Research Center. Do not accept this report if there is any correction or cancellation made manually.